

WARNING

Keep out of reach of children

Read label before use

ECOTOXIC

AGPRO Organosilicone

A modified organosilicone penetrant designed to enhance herbicide penetration and uptake, and to reduce the rain-free period

For use with AGPRO Glyphosates and AGPRO Meturon

1L

Distributed by:

AGPRO NZ Ltd

10 Polaris Place, East Tamaki, Auckland 2013

PO Box 58-963, Botany, Auckland 2163

Ph 09 273 3456 www.agpro.co.nz

Approved pursuant to HSNO Act 1996, HSR002503

See www.epa.govt.nz for approval controls.

AGPRO



HAZARD CLASSIFICATION

Acute inhalation toxicity Category 4,
Skin irritation Category 2,
Eye irritation Category 2,
Hazardous to the aquatic environment chronic Category 2.

HSNO Classification: 6.1D, 6.3A, 6.4A, 9.1B

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

WARNING TOXICITY

Harmful if inhaled. Causes skin irritation. Causes serious eye irritation.

ECOTOXICITY

Toxic to aquatic life with long lasting effects.

PRECAUTIONS

This product must not be applied into or onto water. Avoid contamination of any water supply with product or empty container. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

PERSONAL PROTECTION

Avoid contact with skin and eyes, ingestion and inhalation of spray mist. When mixing or applying this product, overalls, boots, gloves and eye protection should be worn. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

STORAGE

Store in original container, tightly closed, in a secure, dry, cool and well-ventilated area avoiding direct sunlight and away from foodstuffs, fertilisers or seeds. Storage must be in accordance with the current version of NZS8409 Management of Agrichemicals.
Stores containing 1,000 kg or more of **AGPRO Organosilicone** require secondary containment, signage and emergency plans.

EQUIPMENT

Apply only with appropriate, well-maintained and calibrated equipment in accordance with NZS8409 Management of Agrichemicals.

DISPOSAL

PRODUCT DISPOSAL: Dispose of this product only by using according to the label directions or if this is not possible contact your supplier for advice.
CONTAINER DISPOSAL: Triple rinse container and add rinseate to the spray tank. Recycle clean containers at an Agrecovery depot, or puncture and dispose of at an approved landfill. Do not burn. Do not use container for any other purpose.

FIRST AID

For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor. If medical advice is needed have product container or label to hand.

IF SWALLOWED: Do NOT induce vomiting. Rinse mouth. Call the Poisons Centre or doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention.

IF ON SKIN OR HAIR: Remove contaminated clothing and wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call the Poisons Centre or a doctor if you feel unwell. Apply artificial respiration if not breathing.

EMERGENCY RESPONSE

In a transport emergency call 111.
For specialist advice in a chemical emergency call 0800 CHEMCALL (0800 243 622).

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent chemical from entering waterways. Absorb liquid spills with inert material such as

attapulgite, soil, etc., and place in a waste container. Wash area with water and absorb with further inert material. Dispose of safely at an approved landfill.

SAFETY DATA SHEET

Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit www.agpro.co.nz for a copy.

GENERAL INSTRUCTIONS

AGPRO Organosilicone is an organosilicone penetrant specially formulated to enhance the penetration and uptake of **AGPRO Glyphosates** and **AGPRO Meturon**. Uptake is more rapid and the rain-free period can generally be reduced.

COMPATIBILITY

May be tank mixed with **AGPRO Glyphosates** and **AGPRO Meturon**. It is recommended that the mix be used within 24 hours to obtain the maximum effectiveness. Check the herbicide label recommendation.

MIXING PROCEDURE

AGPRO Organosilicone should be added last, when the spray tank is almost full of water, to avoid excessive foaming. Mix well before using. Check the herbicide label for specific directions.

CLEANING AND DECONTAMINATION

After using spray equipment, flush all equipment and lines with clean water.

CONDITIONS OF SALE

As the use of this product is beyond the control of the AGPRO NZ Ltd, no warranty expressed or implied, beyond that covered under the Fair Trading Act is given by AGPRO NZ Ltd regarding its suitability, fitness, or efficacy for any purpose for which it is used by the user, whether in accordance with the directions or not. AGPRO NZ Ltd accepts no responsibility for any consequence whatsoever resulting from the use of this product.

APPLICATION RATES

SITUATION	APPLICATION METHOD	RATE	CRITICAL COMMENTS
Gorse (with Agpro Meturon)	Handgun	100mls / 100L of water	Check the herbicide label for other uses and recommended mix rates.
	Boom / aerial	2L / ha in 400L of water	Check the herbicide label for other uses and recommended mix rates.
General weed control (with Agpro Glyphosates)	Boom / aerial / handgun	100mls / 100L of water	Check the herbicide label for other uses and recommended mix rates.

Batch Number:

Date of Manufacture:



Proper Shipping Name	Class	UN No.	Packing Group	Hazchem
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains polyalkyleneoxide modified heptamethyltrisiloxane)	9	3082	III	3Z